POWAFIX®
More than just a product.

BRAND ✓ QUALITY ✓
SERVICE ✓ VALUE ✓

TECHNICAL DATA SHEET: BONDING LIQUIDS & PRIMERS

STONELOK

STONE, PEBBLE & MULCH BINDER



FEATURES AND BENEFITS

- CLEAR FINISH ENHANCES NATURAL COLOUR & APPEARANCE
- EASY TO APPLY, LOW ODOUR & ENVIRONMENTALLY FRIENDLY WATER-BASED ACRYLIC
- REDUCES FREQUENT MAINTENANCE & THE MOVEMENT OF STONES

DIRECTIONS FOR USE

USAGE PRECAUTIONS

Read all instructions before use. Only apply to dry / damp free surfaces with a moisture content less than 10%. Prime all plaster or concrete surfaces with a suitable Powafix Plaster primer*. Only use with fresh moisture fresh cement / plaster. Do not paint in cold weather below 15°C or if imminent rainfall is expected. In areas affected by heavy dew do not paint after 2pm. Not suitable for driveways or heavy traffic areas. 5L covers approx. 30m² (surface & application method dependent). expected within 24 hours. Test on a small area before full application. Contact our technical help line on 072 396 4980 for assistance prior to painting.

SURFACE PREPARATION

- Apply over a stable base or weed control membrane
- Ensure stones/mulch are clean, dry and free of dirt or debris
- Remove weeds, leaves and plant matter
- Ensure surface is level and well compacted
- Clean old stones, pebbles and paving with Powafix Brick & Floor Cleaner

POWAFIX®

More than just a product.

BRAND ✓ QUALITY ✓

SERVICE ✓ VALUE ✓

TECHNICAL DATA SHEET: BONDING LIQUIDS & PRIMERS

APPLICATION INSTRUCTIONS

• Shake well before use

APPLICATION METHODS

• Pour-on: Apply evenly with watering can. If needed brush out ponded liquid.

• Spray-on: Use low-pressure sprayer.

• Mix-in: Mix binder with aggregate for best, long-lasting results

APPLICATION TIPS

• Ensure penetration through top layer • Apply 2–3 coats as required

• Allow 3–4 hours between coats • Dry time: 24–72 hours before use

• Clean tools with Powafix Eco Powa Brush Cleaner*

STORAGE INSTRUCTIONS

Ensure cap is tightly sealed and product stored upright. Secure product when transporting to prevent accidental spillage. Store in a cool place locked away and out of reach of children. Dispose of empty container and do not use for any other purpose. Do not dispose into common waste system contact 0860 254 620 for disposal information. Discard product 18 months after batch date.

SAFETY INSTRUCTIONS

Read all instructions before use. Replace cap when not in use. Use product in well ventilated areas. If medical advice is needed, have product packaging at hand. Do not eat or drink when using product. Use personal protection as required. Wear protective gloves. Wear eye protection. Wear a dust mask. Avoid inhalation of dust.

IF IN EYES Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Seek medical attention if symptoms persist.

IF ON SKIN Wash skin with soapy water. Take off immediately all contaminated clothing and wash before reuse. Seek medical attention if symptoms persist.

IF SWALLOWED Rinse mouth with clean water. Do not induce vomiting and seek immediate medical attention.

Dispose of contents and packaging in accordance with all local, regional, national and international regulations. National poison centre 0861 555 777

TECHNICAL DATA SHEET: BONDING LIQUIDS & PRIMERS

PRODUCT GUARANTEE

In the unlikely event you are not totally satisfied – this product has a 12 month warranty. This warranty only includes replacement of the same product or a refund of the original purchase price. Product must be returned unaltered, in its original packaging with proof of purchase. This warranty excludes product failure caused by misuse of product outside of recommended uses and instructions on the packaging.

ISSUE DATE: JUNE 2026

The information contained on this Technical Data Sheet is, to the best of our knowledge, true and accurate. As the conditions of use are not under our control, no warranty is given or implied in respect of such information, or in respect of any recommendations or suggestions which may be made.